# Real-Time Object Tracking via Online Discriminative Feature Selection

Kaihua Zhang, Lei Zhang, Member, IEEE, and Ming-Hsuan Yang

Abstract-Most tracking-by-detection algorithms train discriminative classifiers to separate target objects from their surrounding background. In this setting, noisy samples are likely to be included when they are not properly sampled, thereby causing visual drift. The multiple instance learning (MIL) paradigm has been recently applied to alleviate this problem. However, important prior information of instance labels and the most correct positive instance (i.e., the tracking result in the current frame) can be exploited using a novel formulation much simpler than an MIL approach. In this paper, we show that integrating such prior information into a supervised learning algorithm can handle visual drift more effectively and efficiently than the existing MIL tracker. We present an online discriminative feature selection algorithm that optimizes the objective function in the steepest ascent direction with respect to the positive samples while in the steepest descent direction with respect to the negative ones. Therefore, the trained classifier directly couples its score with the importance of samples, leading to a more robust and efficient tracker. Numerous experimental evaluations with state-of-the-art algorithms on challenging sequences demonstrate the merits of the proposed algorithm.

*Index Terms*—Object tracking, multiple instance learning, supervised learning, online boosting.

# I. INTRODUCTION

**O**BJECT tracking has been extensively studied in computer vision due to its importance in applications such as automated surveillance, video indexing, traffic monitoring, and human-computer interaction, to name a few. While numerous algorithms have been proposed during the past decades [1]–[16], it is still a challenging task to build a robust and efficient tracking system to deal with appearance change caused by abrupt motion, illumination variation, shape deformation, and occlusion (See Fig. 1).

It has been demonstrated that an effective adaptive appearance model plays an important role for object tracking [2], [4], [6], [7], [9]–[12], [15]. In general, tracking algorithms

Manuscript received August 11, 2012; revised March 19, 2013 and July 8, 2013; accepted July 23, 2013. Date of publication August 8, 2013; date of current version September 26, 2013. The work of K. Zhang and L. Zhang was supported in part by the HKPU internal research fund. The work of M.-H. Yang was supported in part by the NSF CAREER Grant 1149783 and NSF IIS Grant 1152576. The associate editor coordinating the review of this manuscript and approving it for publication was Prof. Jose M. Bioucas-Dias.

K. Zhang and L. Zhang are with the Department of Computing, the Hong Kong Polytechnic University, Hong Kong (e-mail: cskhzhang@comp.polyu.edu.hk; cslzhang@comp.polyu.edu.hk).

M.-H. Yang is with the Department of Electrical Engineering and Computer Science, University of California, Merced, CA 95344 USA (e-mail: mhyang@ucmerced.edu).

Color versions of one or more of the figures in this paper are available online at http://ieeexplore.ieee.org.

Digital Object Identifier 10.1109/TIP.2013.2277800

can be categorized into two classes based on their representation schemes: generative [1], [2], [6], [9], [11] and discriminative models [3], [4], [7], [8], [10], [12]-[15]. Generative algorithms typically learn an appearance model and use it to search for image regions with minimal reconstruction errors as tracking results. To deal with appearance variation, adaptive models such as the WSL tracker [2] and IVT method [9] have been proposed. Adam et al. [6] utilize several fragments to design an appearance model to handle pose change and partial occlusion. Recently, sparse representation methods have been used to represent the object by a set of target and trivial templates [11] to deal with partial occlusion, illumination change and pose variation. However, these generative models do not take surrounding visual context into account and discard useful information that can be exploited to better separate target object from the background.

Discriminative models pose object tracking as a detection problem in which a classifier is learned to separate the target object from its surrounding background within a local region [3]. Collins et al. [4] demonstrate that selecting discriminative features in an online manner improves tracking performance. Boosting method has been used for object tracking [8] by combing weak classifiers with pixel-based features within the target and background regions with the on-center off-surround principle. Grabner et al. [7] propose an online boosting feature selection method for object tracking. However, the above-mentioned discriminative algorithms [3], [4], [7], [8] utilize only one positive sample (i.e., the tracking result in the current frame) and multiple negative samples when updating the classifier. If the object location detected by the current classifier is not precise, the positive sample will be noisy and result in a suboptimal classifier update. Consequently, errors will be accumulated and cause tracking drift or failure [15]. To alleviate the drifting problem, an online semi-supervised approach [10] is proposed to train the classifier by only labeling the samples in the first frame while considering the samples in the other frames as unlabeled. Recently, an efficient tracking algorithm [17] based on compressive sensing theories [19], [20] is proposed. It demonstrates that the low dimensional features randomly extracted from the high dimensional multiscale image features preserve the intrinsic discriminative capability, thereby facilitating object tracking.

Several tracking algorithms have been developed within the multiple instance learning (MIL) framework [13], [15], [21], [22] in order to handle location ambiguities of positive samples for object tracking. In this paper, we demonstrate that



Fig. 1. Tracking results by our ODFS tracker and the CT [17], Struck [14], MILTrack [15], VTD [18] methods in challenging sequences with rotation and abrupt motion (*Bike skill*), drastic illumination change (*Shaking*), large pose variation and occlusion (*Tiger 1*), and cluttered background and camera shake (*Pedestrian*).

it is unnecessary to use feature selection method proposed in the MIL tracker [15], and instead an efficient feature selection method based on optimization of the instance probability can be exploited for better performance. Motivated by success of formulating the face detection problem with the multiple instance learning framework [23], an online multiple instance learning method [15] is proposed to handle the ambiguity problem of sample location by minimizing the bag likelihood loss function. We note that in [13] the MILES model [24] is employed to select features in a supervised learning manner for object tracking. However, this method runs at about 2 to 5 frames per second (FPS), which is less efficient than the proposed algorithm (about 30 FPS). In addition, this method is developed with the MIL framework and thus has similar drawbacks as the MILTrack method [15]. Recently, Hare et al. [14] show that the objectives for tracking and classification are not explicitly coupled because the objective for tracking is to estimate the most *correct* object position while the objective for classification is to predict the instance labels. However, this issue is not addressed in the existing discriminative tracking methods under the MIL framework [13], [15], [21], [22].

In this paper, we propose an efficient and robust tracking algorithm which addresses all the above-mentioned issues. The key contributions of this paper are summarized as follows.

- 1) We propose a simple and effective online discriminative feature selection (ODFS) approach which directly couples the classifier score with the sample importance, thereby formulating a more robust and efficient tracker than state-of-the-art algorithms [6], [7], [10]–[12], [14], [15], [18] and 17 times faster than the MILTrack [15] method (both are implemented in MATLAB).
- 2) We show that it is unnecessary to use bag likelihood loss functions for feature selection as proposed in the MILTrack method. Instead, we can directly select features on the instance level by using a supervised learning method which is more efficient and robust than the MILTrack method. As all the instances, including the *correct* positive one, can be labeled from the current classifier, they can be used for update via self-taught learning [25]. Here, the most *correct* positive instance can be effectively used as the tracking result of the current frame in a way similar to other discriminative models [3], [4], [7], [8].

# Algorithm 1 ODFS Tracking

**Input:** (*t*+1)-th video frame

- 1) Sample a set of image patches,  $X^{\gamma} = \{\mathbf{x} || |\mathbf{l}_{t+1}(\mathbf{x}) \mathbf{l}_t(\mathbf{x}^*)|| < \gamma\}$  where  $\mathbf{l}_t(\mathbf{x}^*)$  is the tracking location at the *t*-th frame, and extract the features  $\{f_k(\mathbf{x})\}_{k=1}^K$  for each sample
- 2) Apply classifier  $h_K$  in (2) to each feature vector and find the tracking location  $\mathbf{l}_{t+1}(\mathbf{x}^*)$  where  $\mathbf{x}^* = \arg \max_{\mathbf{x} \in X^{\gamma}} \{ c(\mathbf{x}) = \sigma(h_K(\mathbf{x})) \}$
- 3) Sample two sets of image patches  $X^{\alpha} = \{\mathbf{x} || |\mathbf{l}_{t+1}(\mathbf{x}) \mathbf{l}_{t+1}(\mathbf{x}^*)|| < \alpha\}$  and  $X^{\zeta,\beta} = \{\mathbf{x} | \zeta < || \mathbf{l}_{t+1}(\mathbf{x}) \mathbf{l}_{t+1}(\mathbf{x}^*)|| < \beta\}$  with  $\alpha < \zeta < \beta$
- 4) Extract the features with these two sets of samples by the ODFS algorithm and update the classifier parameters according to (5) and (6)

**Output:** Tracking location  $\mathbf{l}_{t+1}(\mathbf{x}^{\star})$  and classifier parameters

# **II. PROBLEM FORMULATION**

In this section, we present the algorithmic details and theoretical justifications of this paper.

#### A. Tracking by Detection

The main steps of our tracking system are summarized in Algorithm 1. Fig. 2 illustrates the basic flow of our algorithm. Our discriminative appearance model is based a classifier  $h_K(\mathbf{x})$  which estimates the posterior probability

$$c(\mathbf{x}) = P(y = 1 | \mathbf{x}) = \sigma(h_K(\mathbf{x}))$$
(1)

(i.e., confidence map function) where **x** is the sample represented by a feature vector  $\mathbf{f}(\mathbf{x}) = (f_1(\mathbf{x}), \dots, f_K(\mathbf{x}))^\top$ ,  $y \in \{0, 1\}$  is a binary variable which represents the sample label, and  $\sigma(\cdot)$  is a sigmoid function.

Given a classifier, the tracking by detection process is as follows. Let  $\mathbf{l}_t(\mathbf{x}) \in \mathbb{R}^2$  denote the location of sample  $\mathbf{x}$  at the *t*-th frame. We have the object location  $\mathbf{l}_t(\mathbf{x}^*)$  where we assume the corresponding sample is  $\mathbf{x}^*$ , and then we densely crop some patches  $X^{\alpha} = \{\mathbf{x} \mid || \mathbf{l}_t(\mathbf{x}) - \mathbf{l}_t(\mathbf{x}^*) || < \alpha\}$  within a search radius  $\alpha$  centering at the current object location, and label them as positive samples. Then, we randomly crop some patches from set  $X^{\zeta,\beta} = \{\mathbf{x} \mid \zeta < || \mathbf{l}_t(\mathbf{x}) - \mathbf{l}_t(\mathbf{x}^*) || < \beta\}$ 



Online classifier update procedure

Fig. 2. Main steps of the proposed algorithm.

where  $\alpha < \zeta < \beta$ , and label them as negative samples. We utilize these samples to update the classifier  $h_K$ . When the (t + 1)-th frame arrives, we crop some patches  $X^{\gamma} = \{\mathbf{x} \mid || \mathbf{l}_{t+1}(\mathbf{x}) - \mathbf{l}_t(\mathbf{x}^{\star}) || < \gamma\}$  with a large radius  $\gamma$  surrounding the old object location  $\mathbf{l}_t(\mathbf{x}^{\star})$  in the (t + 1)-th frame. Next, we apply the updated classifier to these patches to find the patch with the maximum confidence i.e.  $\mathbf{x}^{\star} = \arg \max_{\mathbf{x}} (c(\mathbf{x}))$ . The location  $\mathbf{l}_{t+1}(\mathbf{x}^{\star})$  is the new object location in the (t + 1)-th frame. Based on the newly detected object location, our tracking system repeats the above-mentioned procedures.

#### B. Classifier Construction and Update

In this paper, sample **x** is represented by a feature vector  $\mathbf{f}(\mathbf{x}) = (f_1(\mathbf{x}), \dots, f_K(\mathbf{x}))^\top$ , where each feature is assumed to be independently distributed as MILTrack [15], and then the classifier  $h_K$  can be modeled by a naive Bayes classifier [26]

$$h_{K}(\mathbf{x}) = \log\left(\frac{\prod_{k=1}^{K} p(f_{k}(\mathbf{x})|y=1)P(y=1)}{\prod_{k=1}^{K} p(f_{k}(\mathbf{x})|y=0)P(y=0)}\right)$$
$$= \sum_{k=1}^{K} \phi_{k}(\mathbf{x})$$
(2)

where

$$\phi_k(\mathbf{x}) = \log\left(\frac{p(f_k(\mathbf{x})|y=1)}{p(f_k(\mathbf{x})|y=0)}\right)$$
(3)

is a weak classifier with equal prior, i.e., P(y = 1) = P(y = 0). Next, we have  $P(y = 1 | \mathbf{x}) = \sigma(h_K(\mathbf{x}))$  (i.e., (1)), where the classifier  $h_K$  is a linear function of weak classifiers and  $\sigma(z) = (1/1 + e^{-z})$ .

We use a set of Haar-like features  $f_k$  [15] to represent samples. The conditional distributions  $p(f_k | y = 1)$  and  $p(f_k | y = 0)$  in the classifier  $h_K$  are assumed to be Gaussian distributed as the MILTrack method [15] with four parameters  $(\mu_k^+, \sigma_k^+, \mu_k^-, \sigma_k^-)$  where

$$p(f_k \mid y = 1) \sim \mathcal{N}(\mu_k^+, \sigma_k^+), \, p(f_k \mid y = 0) \sim \mathcal{N}(\mu_k^-, \sigma_k^-).$$
  
(4)

The parameters  $(\mu_k^+, \sigma_k^+, \mu_k^-, \sigma_k^-)$  in (4) are incrementally estimated as follows

$$\mu_k^+ \leftarrow \eta \mu_k^+ + (1 - \eta) \mu^+ \tag{5}$$
  
$$\sigma_k^+ \leftarrow \sqrt{\eta (\sigma_k^+)^2 + (1 - \eta) (\sigma^+)^2 + \eta (1 - \eta) (\mu_k^+ - \mu^+)^2} \tag{6}$$

where  $\eta$  is the learning rate for update,  $\sigma^+ = ((1/N) \sum_{i=0|y=1}^{N-1} (f_k(\mathbf{x}_i) - \mu^+)^2)^{1/2}$ , and *N* is the number of positive samples. In addition,  $\mu^+ = (1/N) \sum_{i=0|y=1}^{N-1} f_k(\mathbf{x}_i)$ . We update  $\mu_k^-$  and  $\sigma_k^-$  with similar rules. The abovementioned (5) and (6) can be easily deduced by maximum likelihood estimation method [27] where  $\eta$  is a learning rate to moderate the balance between the former frames and the current one.

It should be noted that our parameter update method is different from that of the MILTrack method [15], and our update equations are derived based on maximum likelihood estimation. In Section III, we demonstrate that the importance and stability of this update method in comparisons with [15].

For online object tracking, a feature pool with M > K features is maintained. As demonstrated in [4], online selection of the discriminative features between object and background can significantly improve the performance of tracking. Our objective is to estimate the sample  $\mathbf{x}^*$  with the maximum confidence from (1) as  $\mathbf{x}^* = \arg \max_{\mathbf{x}} (c(\mathbf{x}))$  with K selected features. However, if we directly select K features from the pool of M features by using a brute force method to maximize  $c(\cdot)$ , the computational complexity with  $C_M^K$  combinations is prohibitively high (we set K = 15 and M = 150 in our experiments) for real-time object tracking. In the following section, we propose an efficient online discriminative feature selection method which is a sequential forward selection method [28] where the number of feature combinations is MK, thereby facilitating real-time performance.

## C. Online Discriminative Feature Selection

We first review the MILTrack method [15] as it is related to our work, and then introduce the proposed ODFS algorithm. 1) Bag Likelihood With Noisy-OR Model: The instance probability of the MILTrack method is modeled by  $P_{ij} = \sigma(h(\mathbf{x}_{ij}))$  (i.e., (1)) where *i* indexes the bag and *j* indexes the instance in the bag, and  $h = \sum_k \phi_k$  is a strong classifier. The weak classifier  $\phi_k$  is computed by (3) and the bag probability based on the Noisy-OR model is

$$P_i = 1 - \prod_j (1 - P_{ij}).$$
(7)

The MILTrack method maintains a pool of M candidate weak classifiers, and selects K weak classifiers from this pool in a greedy manner using the following criterion

$$\phi_k = \operatorname*{arg\,max}_{\phi \in \Phi} \log L(h_{k-1} + \phi) \tag{8}$$

where  $\Phi = \{\phi_i\}_{i=1}^M$  is the weak classifier pool and each weak classifier is composed of a feature (See (3)),  $L = \prod_i P_i^{y_i}$   $(1 - P_i)^{1-y_i}$  is the bag likelihood function, and  $y_i \in \{0, 1\}$  is a binary label. The selected *K* weak classifiers construct the strong classifier as  $h_K = \sum_{k=1}^K \phi_k$ . The classifier  $h_K$  is applied to the cropped patches in the new frame to determine the one with the highest response as the most *correct* object location.

We show that it is not necessary to use the bag likelihood function based on the Noisy-OR model (8) for weak classifier selection, and we can select weak classifiers by directly optimizing instance probability  $P_{ij} = \sigma (h_K(\mathbf{x}_{ij}))$  via a supervised learning method as both the most *correct* positive instance (i.e., the tracking result in current frame) and the instance labels are assumed to be known.

2) Principle of ODFS: In (1), the confidence map of a sample **x** being the target is computed, and the object location is determined by the peak of the map, i.e.,  $\mathbf{x}^* = \arg \max_{\mathbf{x}} c(\mathbf{x})$ . Providing that the sample space is partitioned into two regions  $\mathcal{R}^+ = \{\mathbf{x}, y = 1\}$  and  $\mathcal{R}^- = \{\mathbf{x}, y = 0\}$ , we define a margin as the average confidence of samples in  $\mathcal{R}^+$  minus the average confidence of samples in  $\mathcal{R}^-$ :

$$E_{margin} = \frac{1}{|\mathcal{R}^+|} \int_{\mathbf{x}\in\mathcal{R}^+} c(\mathbf{x})d\mathbf{x} - \frac{1}{|\mathcal{R}^-|} \int_{\mathbf{x}\in\mathcal{R}^-} c(\mathbf{x})d\mathbf{x} \qquad (9)$$

where  $|\mathcal{R}^+|$  and  $|\mathcal{R}^-|$  are cardinalities of positive and negative sets, respectively.

In the training set, we assume the positive set  $\mathcal{R}^+ = {\{\mathbf{x}_i\}_{i=0}^{N-1}}$  (where  $\mathbf{x}_0$  is the tracking result of the current frame) consists of *N* samples, and the negative set  $\mathcal{R}^- = {\{\mathbf{x}_i\}_{i=N}^{N+L-1}}$  is composed of *L* samples ( $L \approx N$  in our experiments). Therefore, replacing the integrals with the corresponding sums and putting (2) and (1), we formulate (9) as

$$E_{margin} \approx \frac{1}{N} \bigg( \sum_{i=0}^{N-1} \sigma \big( \sum_{k=1}^{K} \phi_k(\mathbf{x}_i) \big) - \sum_{i=N}^{N+L-1} \sigma \big( \sum_{k=1}^{K} \phi_k(\mathbf{x}_i) \big) \bigg).$$
(10)

Each sample  $\mathbf{x}_i$  is represented by a feature vector  $\mathbf{f}(\mathbf{x}_i) = (f_1(\mathbf{x}_i), \dots, f_M(\mathbf{x}_i))^{\top}$ , a weak classifier pool  $\Phi = \{\phi_m\}_{m=1}^M$  is maintained using (3). Our objective is to select a subset of weak classifiers  $\{\phi_k\}_{k=1}^K$  from the pool  $\Phi$  which maximizes the average confidence of samples in  $\mathcal{R}^+$  while suppressing the



Fig. 3. Principle of the SGSC feature selection method.

average confidence of samples in  $\mathcal{R}^-$ . Therefore, we maximize the margin function  $E_{margin}$  by

$$\{\phi_1, \dots, \phi_K\} = \operatorname*{arg\,max}_{\{\phi_1, \dots, \phi_K\} \in \Phi} E_{margin}(\phi_1, \dots, \phi_K).$$
(11)

We use a greedy scheme to sequentially select one weak classifier from the pool  $\Phi$  to maximize  $E_{margin}$ 

$$\phi_{k} = \underset{\phi \in \Phi}{\arg \max} E_{margin}(\phi_{1}, \dots, \phi_{k-1}, \phi)$$

$$= \underset{\phi \in \Phi}{\arg \max} \begin{pmatrix} \sum_{i=0}^{N-1} \sigma(h_{k-1}(\mathbf{x}_{i}) + \phi(\mathbf{x}_{i})) \\ \sum_{i=N}^{N+L-1} \sigma(h_{k-1}(\mathbf{x}_{i}) + \phi(\mathbf{x}_{i})) \end{pmatrix} (12)$$

where  $h_{k-1}(\cdot)$  is a classifier constructed by a linear combination of the first (*k*-1) weak classifiers. Note that it is difficult to find a closed form solution of the objective function in (12). Furthermore, although it is natural and easy to directly select  $\phi$ that maximizes objective function in (12), the selected  $\phi$ is optimal only to the current samples  $\{\mathbf{x}_i\}_{i=0}^{N+L-1}$ , which limits its generalization capability for the extracted samples in the new frames. In the following section, we adopt an approach similar to the approach used in the gradient boosting method [29] to solve (12) which enhances the generalization capability for the selected weak classifiers.

The steepest descent direction of the objective function of (12) in the (N + L)-dimensional data space at  $g_{k-1}(\mathbf{x})$  is  $\mathbf{g}_{k-1} = (g_{k-1}(\mathbf{x}_0), \dots, g_{k-1}(\mathbf{x}_{N-1}), -g_{k-1}(\mathbf{x}_N), \dots, -g_{k-1}(\mathbf{x}_{N+L-1}))^{\top}$  where

$$g_{k-1}(\mathbf{x}) = -\frac{\partial \sigma(h_{k-1}(\mathbf{x}))}{\partial h_{k-1}} = -\sigma(h_{k-1}(\mathbf{x}))(1 - \sigma(h_{k-1}(\mathbf{x})))$$
(13)

is the inverse gradient (i.e., the steepest descent direction) of the posterior probability function  $\sigma(h_{k-1})$  with respect to  $h_{k-1}$ . Since  $\mathbf{g}_{k-1}$  is only defined at the points  $(\mathbf{x}_0, \ldots, \mathbf{x}_{N+L-1})^{\top}$ , its generalization capability is limited. Friedman [29] proposes an approach to select  $\phi$  that makes  $\boldsymbol{\phi} = (\phi(\mathbf{x}_0), \ldots, \phi(\mathbf{x}_{N+L-1}))^{\top}$  most parallel to  $\mathbf{g}_{k-1}$  when minimizing our objective function in (12). The selected weak classifier  $\phi$  is most highly correlated with the gradient  $g_{k-1}$ over the data distribution, thereby improving its generalization performance. In this paper, we instead select  $\boldsymbol{\phi}$  that is least parallel to  $\mathbf{g}_{k-1}$  as we maximize the objective function (See Fig. 3). Thus, we choose the weak classifier  $\phi$  with the following criterion which constrains the relationship between Single Gradient and Single weak Classifier (SGSC) output for each sample:

$$\phi_{k} = \arg \max_{\phi \in \Phi} \{ E_{\text{SGSC}}(\phi) = \| \mathbf{g}_{k-1} - \phi \|_{2}^{2} \}$$
  
= 
$$\arg \max_{\phi \in \Phi} \left( \sum_{\substack{i=0\\N+L-1\\+\sum_{i=N}^{N+L-1} (-g_{k-1}(\mathbf{x}_{i}) - \phi(\mathbf{x}_{i}))^{2}} \right). \quad (14)$$

However, the constraint between the selected weak classifier  $\phi$ and the inverse gradient direction  $g_{k-1}$  is still too strong in (14) because  $\phi$  is limited to the a small pool  $\Phi$ . In addition, both the single gradient and the weak classifier output are easily affected by noise introduced by the misaligned samples, which may lead to unstable results. To alleviate this problem, we relax the constraint between  $\phi$  and  $g_{k-1}$  with the Average Gradient and Average weak Classifier (AGAC) criteria in a way similar to the regression tree method in [29]. That is, we take the average weak classifier output for the positive and negative samples, and the average gradient direction instead of each gradient direction for every sample,

$$\phi_{k} = \underset{\phi \in \Phi}{\arg \max} \begin{cases} E_{\text{AGAC}}(\phi) = N(\overline{g}_{k-1}^{+} - \overline{\phi}^{+})^{2} \\ +L(-\overline{g}_{k-1}^{-} - \overline{\phi}^{-})^{2} \end{cases}$$
$$\approx \underset{\phi \in \Phi}{\arg \max} \left( (\overline{g}_{k-1}^{+} - \overline{\phi}^{+})^{2} + (-\overline{g}_{k-1}^{-} - \overline{\phi}^{-})^{2} \right) (15)$$

where N is set approximately the same as L in our experwhere *W* is set approximately the same as *L* in our experiments. In addition,  $\overline{g}_{k-1}^+ = (1/N) \sum_{i=0}^{N-1} g_{k-1}(\mathbf{x}_i), \ \overline{\phi}^+ = (1/N) \sum_{i=0}^{N-1} \phi(\mathbf{x}_i), \ \overline{g}_{k-1}^- = (1/L) \sum_{i=N}^{N+L-1} g_{k-1}(\mathbf{x}_i), \ \text{and } \overline{\phi}^- = (1/L) \sum_{i=N}^{N+L-1} \phi(\mathbf{x}_i).$  It is easy to verify  $E_{\text{SGSC}}(\phi)$  and  $E_{AGAC}(\phi)$  have the following relationship:

$$E_{\text{SGSC}}(\phi) = S_{+}^{2} + S_{-}^{2} + E_{\text{AGAC}}(\phi)$$
 (16)

where  $S_{+}^{2} = \sum_{i=0}^{N-1} (g_{k-1}(\mathbf{x}_{i}) - \phi(\mathbf{x}_{i}) - (\overline{g}_{k-1}^{+} - \overline{\phi}^{+}))^{2}$ and  $S_{-}^{2} = \sum_{i=N}^{N+L-1} (-g_{k-1}(\mathbf{x}_{i}) - \phi(\mathbf{x}_{i}) - (-\overline{g}_{k-1}^{-} - \overline{\phi}^{-}))^{2}$ . Therefore,  $(S_{+}^{2} + S_{-}^{2})/N$  measures the variance of the pooled terms  $\{g_{k-1}(\mathbf{x}_i) - \phi(\mathbf{x}_i)\}_{i=0}^{N-1}$  and  $\{-g_{k-1}(\mathbf{x}_i) - \phi(\mathbf{x}_i)\}_{i=N}^{N+L-1}$ . However, this pooled variance is easily affected by noisy data or outliers. From (16), we have  $\max_{\phi \in \Phi} E_{AGAC}(\phi) =$  $\max_{\phi \in \Phi} (E_{\text{SGSC}}(\phi) - (S_{+}^2 + S_{-}^2))$ , which means the selected weak classifier  $\phi$  tends to maximize  $E_{SGSC}$  while suppressing the variance  $S_{+}^{2} + S_{-}^{2}$ , thereby leading to more stable results.

In our experiments, a small search radius (e.g.,  $\alpha = 4$ ) is adopted to crop out the positive samples in the neighborhood of the current object location, leading to the positive samples with very similar appearances (See Fig. 4). Therefore, we have  $\overline{g}_{k-1}^+ = (1/N) \sum_{i=0}^{N-1} g_{k-1}(\mathbf{x}_i) \approx g_{k-1}(\mathbf{x}_0)$ . Replacing  $\overline{g}_{k-1}^+$ by  $g_{k-1}(\mathbf{x}_0)$  in (15), the ODFS criterion becomes

$$\phi_k = \operatorname*{arg\,max}_{\phi \in \Phi} \left\{ \begin{aligned} E_{ODFS}(\phi) &= (g_{k-1}(\mathbf{x}_0) - \overline{\phi}^+)^2 \\ + (-\overline{g}_{k-1} - \overline{\phi}^-)^2 \end{aligned} \right\}. \quad (17)$$

It is worth noting that the average weak classifier output (i.e.,  $\overline{\phi}^+$  in (17)) computed from different positive samples alleviates the noise effects caused by some misaligned positive samples. Moreover, the gradient from the



Fig. 4. Illustration of cropping out positive samples with radius  $\alpha = 4$  pixels. The yellow rectangle denotes the current tracking result and the white dash rectangles denote the positive samples.

Algorithm 2 Online Discriminative Feature Select	tion
--	------

- **Input:** Dataset  $\{\mathbf{x}_i, y_i\}_{i=0}^{N+L-1}$  where  $y_i \in \{0, 1\}$ . 1: Update weak classifier pool  $\Phi = \{\phi_m\}_{m=1}^{M}$  with data  $\{\mathbf{x}_i, y_i\}_{i=0}^{N+L-1}$ .
- 2: Update the average weak classifier outputs  $\overline{\phi}_m^+$  and  $\overline{\phi}_m^-, m = 1, \dots, M$ , in (15), respectively.
- 3: Initialize  $h_0(\mathbf{x}_i) = 0$ .
- 4: for k = 1 to K do
- 5: Update  $g_{k-1}(\mathbf{x}_i)$  by (13).
- for m = 1 to M do 6:

7: 
$$E_m = (g_{k-1}(\mathbf{x}_0) - \overline{\phi}_m^+)^2 + (-\overline{g}_{k-1}^- - \overline{\phi}_m^-)^2.$$

8: end for

9: 
$$m^{\star} = \arg \max_m(E_m).$$

- 10:
- 11:
- $\begin{aligned} \phi_k &\leftarrow \phi_{m^{\star}}. \\ h_k(\mathbf{x}_i) &\leftarrow \sum_{j=1}^k \phi_j(\mathbf{x}_i). \\ h_k(\mathbf{x}_i) &\leftarrow h_k(\mathbf{x}_i) / \sum_{j=1}^k |\phi_j(\mathbf{x}_i)| \end{aligned}$  (Normalization). 12: 13: end for

**Output:** Strong classifier  $h_K(\mathbf{x}) = \sum_{k=1}^{K} \phi_k(\mathbf{x})$  and confidence map function  $P(y=1|\mathbf{x}) = \sigma(h_K(\mathbf{x}))$ .

most correct positive sample helps select effective features that reduce the sample ambiguity problem. In contrast, other discriminative models that update with positive features from only one positive sample (e.g., [3], [4], [7], [8]) are susceptible to noise induced by the misaligned positive sample when drift occurs. If only one positive sample (i.e., the tracking result  $\mathbf{x}_0$ ) is used for feature selection in our method, we have the single positive feature selection (SPFS) criterion

$$\phi_k = \underset{\phi \in \Phi}{\operatorname{arg\,max}} \left\{ \begin{array}{c} E_{SPFS}(\phi) = (g_{k-1}(\mathbf{x}_0) - \phi(\mathbf{x}_0))^2 \\ + (-\overline{g_{k-1}} - \overline{\phi}^-)^2 \end{array} \right\}.$$
(18)

We present experimental results to validate why the proposed method performs better than the one using the SPFS criterion in Section III-C.

When a new frame arrives, we update all the weak classifiers in the pool  $\Phi$  in parallel, and select K weak classifiers sequentially from  $\Phi$  using the criterion (17). The main steps of the the proposed online discriminative feature selection algorithm are summarized in Algorithm 2.

3) Relation to Bayes Error Rate: In this section, we show that the optimization problem in (11) is equivalent to minimizing the Bayes error rate in statistical classification. The Bayes error rate [30] is

$$P_{e} = P(\mathbf{x} \in \mathcal{R}^{+}, y = 0) + P(\mathbf{x} \in \mathcal{R}^{-}, y = 1)$$

$$= \begin{pmatrix} P(\mathbf{x} \in \mathcal{R}^{+} | y = 0) P(y = 0) \\ +P(\mathbf{x} \in \mathcal{R}^{-} | y = 1) P(y = 1) \end{pmatrix}$$

$$= \begin{pmatrix} \int_{\mathcal{R}^{+}} p(\mathbf{x} \in \mathcal{R}^{+} | y = 0) P(y = 0) d\mathbf{x} \\ +\int_{\mathcal{R}^{-}} p(\mathbf{x} \in \mathcal{R}^{-} | y = 1) P(y = 1) d\mathbf{x} \end{pmatrix}$$
(19)

where  $p(\mathbf{x}|y)$  is the class conditional probability density function and P(y) describes the prior probability. The posterior probability  $P(y|\mathbf{x})$  is computed by  $P(y|\mathbf{x}) = p(\mathbf{x}|y)P(y)/p(\mathbf{x})$ , where  $p(\mathbf{x}) = \sum_{j=0}^{1} p(\mathbf{x}|y=j)P(y=j)$ . Using (19), we have

$$P_{e} = \begin{pmatrix} \int_{\mathcal{R}^{+}} P(y = 0 | \mathbf{x} \in \mathcal{R}^{+}) p(\mathbf{x} \in \mathcal{R}^{+}) d\mathbf{x} \\ + \int_{\mathcal{R}^{-}} P(y = 1 | \mathbf{x} \in \mathcal{R}^{-}) p(\mathbf{x} \in \mathcal{R}^{-}) d\mathbf{x} \end{pmatrix}$$
$$= - \begin{pmatrix} \int_{\mathcal{R}^{+}} (P(y = 1 | \mathbf{x} \in \mathcal{R}^{+}) - 1) p(\mathbf{x} \in \mathcal{R}^{+}) d\mathbf{x} \\ - \int_{\mathcal{R}^{-}} P(y = 1 | \mathbf{x} \in \mathcal{R}^{-}) p(\mathbf{x} \in \mathcal{R}^{-}) d\mathbf{x} \end{pmatrix}.$$
(20)

In our experiments, the samples in each set  $\mathcal{R}^s$ ,  $s = \{+, -\}$  are generated with equal probability, i.e.,  $p(\mathbf{x} \in \mathcal{R}^s) = (1/|\mathcal{R}^s|)$ , where  $|\mathcal{R}^s|$  is the cardinality of set  $\mathcal{R}^s$ . Thus, we have

$$P_e = 1 - E_{margin} \tag{21}$$

where  $E_{margin}$  is our objective function (9). That is, maximizing the proposed objective function  $E_{margin}$  is equivalent to minimizing the Bayes error rate  $P_e$ .

4) *Discussion:* We discuss the merits of the proposed algorithm with comparisons to the MILTrack method and related work.

a) Assumption regarding the most positive sample: We assume the most *correct* positive sample is the tracking result in the current frame. This has been widely used in discriminative models with one positive sample [4], [7], [8]. Furthermore, most generative models [6], [9] assume the tracking result in the current frame is the *correct* object representation which can also be seen as the *most* positive sample. In fact, it is not possible for online algorithms to ensure a tracking result is completely free of drift in the current frame (i.e., the classic problems in online learning, semi-supervised learning, and self-taught learning). However, the average weak classifier output in our objective function of (17) can alleviate the noise effect caused by misaligned samples. Moreover, our classifier couples its score with the importance of samples that can alleviate the drift problem. Thus, we can alleviate this problem by considering the tracking result in the current frame as the most *correct* positive sample.

b) Sample ambiguity problem: While the findings by Babenko et al. [15] demonstrate that the location ambiguity problem can be alleviated with the online multiple instance learning approach, the tracking results may still not be stable in some challenging tracking tasks [15]. This can be explained by several factors. First, the Noisy-OR model used by MILTrack does not explicitly treat the positive samples discriminatively, and instead selects less effective features. Second, the classifier is only trained by the binary labels without considering the importance of each sample. Thus, the maximum classifier score may not correspond to the most *correct* positive sample, and a similar observation is recently stated by Hare *et al.* [14]. In our algorithm, the feature selection criterion (i.e., (17)) explicitly relates the classifier score with the importance of the samples. Therefore, the ambiguity problem can be better dealt with by the proposed method.

c) Sparse and discriminative feature selection: We examine Step 12 of Algorithm 2 in greater detail. If we denote  $\phi_i = w_i \psi_i$ , where  $\psi_i = \operatorname{sign}(\phi_i)$  can be seen as a binary weak classifier whose output is only 1 or -1, and  $w_i = |\phi_i|$  is the weight of the binary weak classifier whose range is  $[0, \infty)$  (Refer to (3)). Therefore, the normalized equation in Step 12 can be rewritten as  $h_k \leftarrow$  $\sum_{i=1}^{k} (\psi_i w_i / \sum_{j=1}^{k} |w_j|)$ , and we restrict  $h_k$  to be the *convex* combination of elements from the binary weak classifier set  $\{\psi_i, i = 1, \dots, k\}$ . This normalization procedure is critical because it avoids the potential overfitting problem caused by arbitrary linear combination of elements of the binary weak classifier set. In fact a similar problem also exists in the AnyBoost algorithm [31]. We choose an  $\ell_1$  norm normalization method which helps to sparsely select the most discriminative features. In our experiments, we only need to select 15 (K = 15) features from a feature pool with 150 (M = 150) features, which is computationally more efficient than the boosting feature selection techniques [7], [15] that select 50 (K = 50) features out of a pool of 250 (M = 250) features in the experiments.

d) Advantages of ODFS over MILTrack: First, our ODFS method only needs to update the gradient of the classifier once after selecting a feature, and this is much more efficient than the MILTrack method because all instance and bag probabilities must be updated M times after selecting a weak classifier. Second, the ODFS method directly couples its classifier score with the importance of the samples while the MILTrack algorithm does not. Thus the ODFS method is able to select the most effective features related to the most correct positive instance. This enables our tracker to better handle the drift problem than the MILTrack algorithm [15], especially in case of drastic illumination change or heavy occlusion.

e) Differences with other online feature selection trackers: Online feature selection techniques have been widely studied in object tracking [4], [7], [32]–[37]. In [36], Wang et al. use particle filter method to select a set of Haarlike features to construct a binary classifier. Grabner et al. [7] propose an online boosting algorithm to select Haar-like, HOG and LBP features. Liu and Yu [37] propose a gradient-based online boosting algorithm to update a fixed number of HOG features. The proposed ODFS algorithm is different from the aforementioned trackers. First, all of the abovementioned trackers use only one target sample (i.e., the current tracking result) to extract features. Thus, these features are easily affected by noise introduced by misaligned target sample when tracking drift occurs. However, the proposed ODFS method suppresses noise by averaging the outputs of the weak classifiers from all positive samples (See (17)). Second, the final strong classifier in [7], [36], and [37] generates only binary labels of samples (i.e., foreground object or not). However, this is not explicitly coupled to the objective of tracking which is to



Fig. 5. Probability distributions of three differently selected features that are linearly combined with two, three, four rectangle features, respectively. The yellow numbers denote the corresponding weights. The red stair represents the histogram of positive samples while the blue stair represents the histogram of negative samples. The red and blue lines denote the corresponding distribution estimations by our incremental update method.

predict the object location [14]. The proposed ODFS algorithm selects features that maximize the confidences of target samples while suppressing the confidences of background samples, which is consistent with the objective of tracking.

The proposed algorithm is different from the method proposed by Liu and Yu [37] in another two aspects. First, the algorithm by Liu and Yu does not select a small number of features from a feature pool but uses all the features in the pool to construct a binary strong classifier. In contrast, the proposed method selects a small number of features from a feature pool to construct a confidence map. Second, the objective of [37] is to minimize the weighted least square error between the estimated feature response and the true label whereas the objective of this paper is to maximize the margin between the average confidences of positive samples and negative ones based on (9).

## **III. EXPERIMENTS**

We use the same generalized Haar-like features as [15], which can be efficiently computed using the integral image. Each feature  $f_k$  is a Haar-like feature computed by the sum of weighted pixels in 2 to 4 randomly selected rectangles. For presentation clarity, in Fig. 5 we show the probability distributions of three selected features by our method. The positive and negative samples are cropped from a few frames of a sequence. The results show that a Gaussian distribution with an online update using (5) and (6) is a good approximation of the selected features.

As the proposed ODFS tracker is developed to address several issues of MIL based tracking methods (See Section I), we evaluate it with the MILTrack [15] on 16 challenging video clips, among which 14 sequences are publicly available [12], [15], [18] and the others are collected on our own. In addition, seven other state-of-the-art learning based trackers [6], [7], [10]–[12], [14], [17], [18] are also compared. For fair evaluations, we use the original source or binary codes [6], [7], [10]–[12], [14], [15], [17], [18] in which parameters of each method are tuned for best performance. The 9 trackers

we compare with are: fragment tracker (Frag) [6], online AdaBoost tracker (OAB) [7], Semi-Supervised Boosting tracker (SemiB) [10], multiple instance learning tracker (MILTrack) [15], Tracking-Learning-Detection (TLD) method [12], Struck method [14],  $\ell_1$ -tracker [11], visual tracking decomposition (VTD) method [18] and compressive tracker (CT) [17]. We fix the parameters of the proposed algorithm for all experiments to demonstrate its robustness and stability. Since all the evaluated algorithms involve some random sampling except [6], we repeat the experiments 10 times on each sequence, and present the averaged results. Implemented in MATLAB, our tracker runs at 30 frames per second (FPS) on a Pentium Dual-Core 2.10 GHz CPU with 1.95 GB RAM. Our source codes and videos are available at http://www4.comp.polyu.edu.hk/~cslzhang/ODFS/ODFS.htm.

# A. Experimental Setup

We use a radius ( $\alpha$ ) of 4 pixels for cropping the similar positive samples in each frame and generate 45 positive samples. A large  $\alpha$  can make positive samples much different which may add more noise but a small  $\alpha$  generates a small number of positive samples which are insufficient to avoid noise. The inner and outer radii for the set  $X^{\zeta,\beta}$  that generates negative samples are set as  $\zeta = \lceil 2\alpha \rceil = 8$  and  $\beta = \lceil 1.5\gamma \rceil = 38$ , respectively. Note that we set the inner radius  $\zeta$  larger than the radius  $\alpha$  to reduce the overlaps with the positive samples, which can reduce the ambiguity between the positive and negative samples. Then, we randomly select a set of 40 negative samples from the set  $X^{\zeta,\beta}$  which is fewer than that of the MILTrack method (where 65 negative examples are used). Moreover, we do not need to utilize many samples to initialize the classifier whereas the MILTrack method uses 1000 negative patches. The radius for searching the new object location in the next frame is set as  $\gamma = 25$  that is enough to take into account all possible object locations because the object motion between two consecutive frames is often smooth, and 2000 samples are drawn, which is the same as the MILTrack method [15]. Therefore, this procedure

TABLE I
CENTER LOCATION ERROR (CLE) AND AVERAGE FRAMES PER SECOND (FPS). TOP TWO RESULTS ARE SHOWN IN BOLD AND <i>italic</i>

Sequence	ODFS	СТ	MILTrack	Struck	OAB	TLD	$\ell_1$ -tracker	SemiB	Frag	VTD
Animal	15	17	32	17	62	-	155	25	99	11
Bike skill	6	12	43	95	9	—	79	14	106	86
Coupon book	8	6	6	10	9	—	6	74	63	73
Cliff bar	5	8	14	20	33	—	35	56	34	31
David	12	17	19	9	57	12	42	37	73	6
Football	13	13	14	19	37	10	184	58	143	6
Jumping	8	9	10	42	11	8	99	11	29	17
Kitesurf	7	11	8	7	11	—	45	9	93	30
Occluded face 2	10	12	16	25	36	—	19	39	58	46
Pedestrian	8	43	38	13	105	—	99	57	99	35
Panda	7	8	9	67	10	20	10	10	69	71
Soccer	19	18	64	95	96	—	189	135	54	24
Shaking	11	11	12	166	22	—	192	133	41	8
Twinings	12	13	14	7	7	15	10	70	15	20
Tiger 1	13	20	27	12	42	—	48	39	39	12
Tiger 2	14	14	18	22	22	-	57	29	37	47
Average CLE	10	13	20	44	31	-	67	49	62	31
Average FPS	30	33	10.31	0.01	8.5	9.4	0.1	6.5	3.5	0.01

<sup>1</sup>The FPS is 1.7 in our MATLAB implementation.

TABLE II SUCCESS RATE (SR). TOP TWO RESULTS ARE SHOWN IN **BOLD** AND *italic* 

Sequence	ODFS	СТ	MILTrack	Struck	OAB	TLD	$\ell_1$ -tracker	SemiB	Frag	VTD
Animal	90	76	73	97	15	75	5	47	3	96
Bike skill	91	30	2	7	74	8	7	47	3	27
Coupon book	99	98	99	99	98	16	100	37	27	37
Cliff bar	94	87	65	70	23	67	38	65	22	47
David	90	86	68	98	31	98	41	46	8	<b>98</b>
Football	71	76	70	69	37	80	30	19	31	96
Jumping	100	97	99	18	86	98	9	84	36	87
Kitesurf	84	58	78	82	73	45	27	73	1	41
Occluded face 2	100	98	99	78	47	46	84	40	52	67
Pedestrian	71	54	53	58	4	21	18	23	5	64
Panda	78	80	75	13	69	29	56	67	7	4
Soccer	67	70	17	14	8	10	13	9	27	39
Shaking	87	88	85	1	40	16	10	31	28	<b>97</b>
Twinings	83	85	72	98	98	46	83	23	69	78
Tiger 1	68	53	39	73	24	65	13	28	19	73
Tiger 2	43	55	45	22	37	41	12	17	13	12
Average SR	83	80	66	52	52	45	42	41	26	62

is time-consuming if we use more features in the classifier design. Our ODFS tracker selects 15 features for classifier construction which is much more efficient than the MILTrack method that sets K = 50. The number of candidate features M in the feature pool is set to 150, which is fewer than that of the MILTrack method (M = 250). We note that we also evaluate with the parameter settings K = 15, M = 150 in the MILTrack method but find it does not perform well for most experiments. The learning parameter can be set as  $\eta = 0.80 \sim 0.95$ . A smaller learning rate can make the tracker quickly adapts to the fast appearance changes and a larger learning rate can reduce the likelihood that the tracker drifts off the target. Good results can be achieved by fixing  $\eta = 0.93$  in our experiments.

#### **B.** Experimental Results

All of the test sequences consist of gray-level images and the ground truth object locations are obtained by manual labels at each frame. We use the center location error in pixels as an index to quantitatively compare 10 object tracking algorithms. In addition, we use the success rate to evaluate the tracking results [14]. This criterion is used in the PASCAL VOC challenge [38] and the score is defined as  $score = area(G \cap T)/area(G \cup T)$ , where G is the ground truth bounding box and T is the tracked bounding box. If *score* is larger than 0.5 in one frame, then the result is considered a success. Table I shows the experimental results in terms of center location errors, and Table II presents the tracking results in terms of success rate. Our ODFSbased tracking algorithm achieves the best or second best performance in most sequences, both in terms of success rate and center location error. Furthermore, the proposed ODFSbased tracker performs well in terms of speed (only slightly slower than CT method) among all the evaluated algorithms on the same machine even though other trackers (except for the TLD, CT methods and  $\ell_1$ -tracker) are implemented in C or C++ which is intrinsically more efficient than MATLAB. We also implement the MILTrack method in MATLAB which runs at 1.7 FPS on the same machine. Our ODFS-based tracker (at 30 FPS) is more than 17 times faster than the MILTrack method with more robust performance in terms



Fig. 6. Error plots in terms of center location error for 16 test sequences.

of success rate and center location error. The quantitative results also bear out the hypothesis that supervised learning method can yield much more stable and accurate results than the greedy feature selection method used in the MILTrack algorithm [15] as we integrate known prior (i.e., the instance labels and the most *correct* positive sample) into the learning procedure.

Fig. 6 shows the error plots for all test video clips. For the sake of clarity, we only present the results of ODFS against the CT, Struck, MILTrack and VTD methods which have been shown to perform well.

1) Scale and Pose: Similar to most state-of-the-art tracking algorithms (Frag, OAB, SemiB, and MILTrack), our tracker estimates the translational object motion. Nevertheless, our tracker is able to handle scale and orientation change due to the use of Haar-like features. The targets in *David* (#130, #180, #218 in Fig. 7), *Twinings* (#200, #366, #419 in Fig. 8) and *Panda* (#100, #150, #250, #550, #780 in Fig. 9) sequences undergo large appearance change due to scale and pose variation. Our tracker achieves the best or second best performance in most sequences. The Struck method performs well when the objects undergo pose variation as in the *David*, *Twinings*, and



Fig. 7. Some tracking results of David sequence.

*Kitesurf* sequences (See Fig. 10) but does not perform well in the *Panda* sequence (See frame # 150, # 250, # 780 in Fig. 9). The object in *Kitesurf* sequence shown in Fig. 10 undergoes large in-plane and out-of-plane rotation. The VTD method gradually drifts away due to large appearance change (See frame # 75, # 80 in Fig. 10). The MILTrack does not perform



Fig. 9. Some tracking results of *Panda* sequence.

Fig. 12. Some tracking results of Tiger 2 sequence.



Fig. 10. Some tracking results of *Kitesurf* sequence.



Fig. 13. Some tracking results of Jumping sequence.

well in the *David* sequence when the appearance changes much (See frame # 180, # 218, # 345 in Fig. 7). In the proposed algorithm, the background samples yield very small classifier scores with (15) which makes our tracker better separate target object from its surrounding background. Thus, the proposed tracker does not drift away from the target object in cluttered background.

2) Heavy Occlusion and Pose Variation: The object in Occluded face 2 shown in Fig. 11 undergoes heavy occlusion and pose variation. The VTD and Struck methods do not perform well as shown in Fig. 11 due to large appearance change caused by occlusion and pose variation (# 380, # 500

in Fig. 11). In the *Tiger 1* sequence (Fig. 1) and *Tiger 2* sequences (Fig. 12), the appearances of the objects change significantly as a result of scale, pose variation, illumination change and motion blur at the same time. The CT and MILTrack methods drift to the background in the *Tiger 1* sequence (#290, #312, #348 in Fig. 1). The Struck, MILTrack and VTD methods drift away at frame #278, #355 in *Tiger 2* sequences when the target objects undergo changes of lighting, pose, and partial occlusion. Our tracker performs well in these challenging sequences as it effectively selects the most discriminative local features for updating the classifier, thereby better handling





Fig. 15. Some tracking results of Animal sequence.

Fig. 17. Some tracking results of Soccer sequence.

drastic appearance change than methods based on holistic features.

3) Abrupt Motion, Rotation and Blur: The blurry images of the Jumping sequence (See Fig. 13) due to fast motion make it difficult to track the target object. As shown in frame #300 of Fig. 13, the Struck and VTD methods drift away from the target because of the drastic appearance change caused by motion blur. The object in the *Cliff bar* sequence of Fig. 14 undergoes scale change, rotation, and motion blur. As illustrated in frame #154 of Fig. 14, when the object undergoes in-plane rotation and blur, all evaluated algorithms except the proposed tracker do not track the object well. The object in the Animal sequence (Fig. 15) undergoes abrupt motion. The MILTrack method performs well in most of frames, but it loses track of the object from frame #35 to #45. The Bike skill sequence shown in Fig. 1 is challenging as the object moves abruptly with out-of-plane rotation and motion blur. The MILTrack, Struck and VTD methods drift away from the target object after frame #100.

For the above four sequences, our tracker achieves the best performance in terms of tracking error and success rate except in the *Animal* sequence (See Fig. 15) the Struck and VTD methods achieve slightly better success rate. The results show that the proposed feature selection method by integrating the prior information can effectively select more discriminative features than the MILTrack method [15], thereby preventing our tracker from drifting to the background region.

4) Cluttered Background and Abrupt Camera Shake: The object in the Cliff bar sequence (See Fig. 14) changes in

scale and moves in a region with similar texture. The VTD method is a generative model that does not take into account the negative samples, and it drifts to the background in the *Cliff bar* sequence (See frame # 200, # 230 of Fig. 14) because the texture of the background is similar to the object. Similarly, in the *Coupon book* sequence (See frame # 190, # 245, # 295 of Fig. 16), the VTD method is not effective in separating two nearby objects with similar appearance. Our tracker performs well on these sequences because it weighs more on the most *correct* positive sample and assigns a small classifier score to the background samples during classifier update, thereby facilitating separation of the foreground target and the background.

The *Pedestrian* sequence (See Fig. 1) is challenging due to the cluttered background and camera shake. All the other compared trackers except for the Struck method snap to the other object with similar texture to the target after frame # 100 (See Fig. 6). However, the Struck method gradually drifts away from the target (See frame # 106, # 139 of Fig. 1). Our tracker performs well as it integrates the most *correct* positive sample information into the learning process which makes the updated classifier better differentiate the target from the cluttered background.

5) Large Illumination Change and Pose Variation: The appearance of the singer in the Shaking sequence (See Fig. 1) changes significantly due to large variation of illumination and head pose. The MILTrack method fails to track the target when the stage light changes drastically at frame #60 whereas our tracker can accurately locate the object. In the Soccer sequence (See Fig. 17), the target player is occluded in a scene with large

TABLE III CENTER LOCATION ERROR (CLE) AND AVERAGE FRAMES PER SECOND (FPS). TOP TWO RESULTS ARE SHOWN IN **BOLD** AND *italic* 

Sequence	ODFS	AGAC	SPFS	SGSC
Animal	15	15	62	58
Bike skill	6	7	71	95
Coupon book	8	9	45	27
Cliff bar	5	5	6	10
David	12	13	23	14
Football	13	14	14	14
Jumping	8	9	63	71
Kitesurf	7	7	14	10
Occluded face 2	10	10	15	13
Pedestrian	8	8	44	11
Panda	7	7	7	6
Soccer	19	20	124	152
Shaking	11	12	16	176
Twinings	12	12	15	25
Tiger 1	13	15	45	16
Tiger 2	14	12	12	12
Average CLE	10	11	30	39

# TABLE IV Success Rate (SR). Top Two Results Are Shown in **Bold** and *italic*

Sequence	ODFS	AGAC	SPFS	SGSC
Animal	90	88	27	27
Bike skill	91	91	4	6
Coupon book	99	95	16	20
Cliff bar	94	94	94	82
David	90	90	64	99
Football	71	69	64	64
Jumping	100	98	7	5
Kitesurf	84	84	70	68
Occluded face 2	100	100	98	99
Pedestrian	71	73	57	82
Panda	78	76	76	91
Soccer	67	64	22	22
Shaking	87	83	70	2
Twinings	83	83	74	36
Tiger 1	68	66	16	32
Tiger 2	43	44	46	47
Average SR	83	81	61	58

change of scale and illumination (e.g., frame #100, #120, #180, #240 of Fig. 17). The MILTrack and Struck methods fail to track the target object in this video (See Fig. 6). The VTD method does not perform well when the heavy occlusion occurs as shown by frame #120, #180 in Fig. 17. Our tracker is able to adapt the classifier quickly to appearance change as it selects the discriminative features which maximize the classifier score with respect to the most *correct* positive sample while suppressing the classifier score of background samples. Thus, our tracker performs well in spite of large appearance change due to variation of illumination, scale and camera view.

## C. Analysis of ODFS

We compare the proposed ODFS algorithm with the AGAC (i.e., (15)), SPFS (i.e., (18)), and SGSC (i.e., (14)) methods all of which differ only in feature selection and number of samples. Tables III and IV present the tracking results in terms of center location error and success rate, respectively. The ODFS and AGAC methods achieve much better results than other two methods. Both ODFS and AGAC use average weak classifier output from all positive samples (i.e.,  $\overline{\phi}^+$  in (17) and (15)) and the only difference is that ODFS adopts single gradient from the most correct positive sample to replace the average gradient from all positive samples in AGAC. This approach facilitates reducing the sample ambiguity problem and leads to better results than the AGAC method which does not take into account the sample ambiguity problem. The SPFS method uses single gradient and single weak classifier output from the most correct positive sample that does not have the sample ambiguity problem. However, the noisy effect introduced by the misaligned samples significantly affects its performance. The SGSC method does not work well because of both noisy and sample ambiguity problems. Both the gradient from the most correct positive sample and the average weak classifier output from all positive samples play important roles for

the performance of ODFS. The adopted gradient reduces the sample ambiguity problem while the averaging process alleviates the noisy effect caused by some misaligned positive samples.

## D. Online Update of Model Parameters

We implement our parameter update method in MATLAB with evaluation on 4 sequences, and the MILTrack method using our parameter update method is referred as CMILTrack as illustrated in Section . For fair comparisons, the only difference between the MATLAB implementations of the MILTrack and CMILTrack methods is the parameter update module. We compare the proposed ODFS, MILTrack and CMILTrack methods using four videos. Fig. 18 shows the error plots and some sampled results are shown in Fig. 19. We note that in the Occluded face 2 sequence, the results of the CMILTrack algorithm are more stable than those of the MILTrack method. In the Tiger 1 and Tiger 2 sequences, the CMILTrack tracker has less drift than the MILTrack method. On the other hand, in the Pedestrian sequence, the results by the CMILTrack and MILTrack methods are similar. Experimental results show that both the parameter update method and the Noisy-OR model are important for robust tracking performance. While we use the parameter update method based on maximum likelihood estimation in the CMILTrack method, the results may still be unstable because the Noisy-OR model may select the less effective features (even though the CMILTrack method generates more stable results than the MILTrack method in most cases). We note the results by the proposed ODFS algorithm are more accurate and stable than the MILTrack and CMILTrack methods.

#### **IV. CONCLUSION**

In this paper, we present a novel online discriminative feature selection (ODFS) method for object tracking which couples the classifier score explicitly with the importance



Fig. 18. Error plots in terms of center location error for 4 test sequences.



Fig. 19. Some tracking results of *Tiger 1, Tiger 2, Pedestrian*, and *Occluded face 2* sequences using MILTrack, CMILTrack, and ODFS methods.

of the samples. The proposed ODFS method selects features which optimize the classifier objective function in the steepest *ascent* direction with respect to the positive samples while in steepest *descent* direction with respect to the negative ones. This leads to a more robust and efficient tracker without parameter tuning. Our tracking algorithm is easy to implement and achieves real-time performance with MATLAB implementation on a Pentium dualcore machine. Experimental results on challenging video sequences demonstrate that our tracker achieves favorable performance when compared with several state-of-the-art algorithms.

#### REFERENCES

- M. Black and A. Jepson, "EigenTracking: Robust matching and tracking of articulated objects using a view-based representation," in *Proc. Eur. Conf. Comput. Vis.*, Apr. 1996, pp. 329–342.
- [2] A. Jepson, D. Fleet, and T. El-Maraghi, "Robust online appearance models for visual tracking," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 25, no. 10, pp. 1296–1311, Oct. 2003.
- [3] S. Avidan, "Support vector tracking," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 29, no. 8, pp. 1064–1072, Aug. 2004.
- [4] R. Collins, Y. Liu, and M. Leordeanu, "Online selection of discriminative tracking features," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 27, no. 10, pp. 1631–1643, Oct. 2005.
- [5] M. Yang and Y. Wu, "Tracking non-stationary appearances and dynamic feature selection," in *Proc. IEEE Conf. Soc. Conf. CVPR*, Jun. 2005, pp. 1059–1066.
- [6] A. Adam, E. Rivlin, and I. Shimshoni, "Robust fragments-based tracking using the integral histogram," in *Proc. Comput. Soc. Conf. IEEE CVPR*, Jun. 2006, pp. 789–805.
- [7] H. Grabner, M. Grabner, and H. Bischof, "Real-time tracking via online boosting," in *Proc. BMVC*, 2006, pp. 47–56.
- [8] S. Avidan, "Ensemble tracking," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 29, no. 2, pp. 261–271, Feb. 2007.
- [9] D. Ross, J. Lim, R.-S. Lin, and M.-H. Yang, "Incremental learning for robust visual tracking," *Int. J. Comput. Vis.*, vol. 77, no. 1, pp. 125–141, May 2008.
- [10] H. Grabner, C. Leistner, and H. Bischof, "Semi-supervised on-line boosting for robust tracking," in *Proc. ECCV*, Oct. 2008, pp. 234–247.
- [11] X. Mei and H. Ling, "Robust visual tracking using 11 minimization," in Proc. IEEE 12th Int. Conf. Comput. Vis., Oct. 2009, pp. 1436–1443.
- [12] Z. Kalal, J. Matas, and K. Mikolajczyk, "P-N learning: Bootstrapping binary classifier by structural constraints," in *Proc. IEEE Conf. CVPR*, Jun. 2010, pp. 49–56.
- [13] Q. Zhou, H. Lu, and M.-H. Yang, "Online multiple support instance tracking," in *Proc. IEEE Int. Conf. Autom. Face Gesture Recognit.*, Mar. 2011, pp. 545–552.
- [14] S. Hare, A. Saffari, and P. Torr, "Struck: Structured output tracking with kernels," in *Proc. IEEE ICCV*, Nov. 2011, pp. 263–270.
- [15] B. Babenko, M.-H. Yang, and S. Belongie, "Robust object tracking with online multiple instance learning," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 33, no. 8, pp. 1619–1632, Aug. 2011.
- [16] J. Kwon and K. Lee, "Tracking by sampling trackers," in *Proc. IEEE ICCV*, Nov. 2011, pp. 1195–1202.

- [17] K. Zhang, L. Zhang, and M.-H. Yang, "Real-time compressive tracking," in *Proc. ECCV*, Oct. 2012, pp. 864–877.
- [18] J. Kwon and K. Lee, "Visual tracking decomposition," in *Proc. IEEE Conf. CVPR*, Jun. 2010, pp. 1269–1276.
- [19] D. Achlioptas, "Database-friendly random projections: Johnson-Lindenstrauss with binary coins," J. Comput. Syst. Sci., vol. 66, no. 4, pp. 671–687, Jun. 2003.
- [20] E. Candes and T. Tao, "Near optimal signal recovery from random projections and universal encoding strategies," *IEEE Trans. Inf. Theory*, vol. 52, no. 12, pp. 5406–5425, Dec. 2006.
- [21] C. Leistner, A. Saffari, and H. Bischof, "MIForests: Multiple-instance learning with randomized trees," in *Proc. ECCV*, Sep. 2010, pp. 29–42.
- [22] C. Leistner, A. Saffari, and H. Bischof, "on-line semi-supervised multiple-instance boosting," in *Proc. IEEE Conf. CVPR*, Jun. 2010, pp. 1879–1886.
- [23] P. Viola, J. Platt, and C. Zhang, "Multiple instance boosting for object detection," in *Advances in Neural Information Processing Systems*. New York, NY, USA: Springer-Verlag, 2005, pp. 1417–1426.
- [24] Y. Chen, J. Bi, and J. Wang, "MILES: Multiple-instance learning via embedded instance selection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 28, no. 12, pp. 1931–1947, Dec. 2006.
- [25] R. Raina, A. Battle, H. Lee, B. Packer, and A. Y. Ng, "Self-taught learning: Transfer learning from unlabeled data," in *Proc. 24th Int. Conf. Mach. Learn.*, 2007, pp. 759–766.
- [26] A. Ng and M. Jordan, "On discriminative vs. generative classifier: A comparison of logistic regression and naive bayes," in *Advances in Neural Information Processing Systems*. New York, NY, USA: Springer-Verlag, 2002, pp. 841–848.
- [27] K. Zhang and H. Song, "Real-time visual tracking via online weighted multiple instance learning," *Pattern Recognit.*, vol. 46, no. 1, pp. 397–411, Jan. 2013.
- [28] A. Webb, Statistical Pattern Recognition. New York, NY, USA: Oxford Univ. Press, 1999.
- [29] J. Friedman, "Greedy function approximation: A gradient boosting machine," Ann. Stat., vol. 29, no. 5, pp. 1189–1232, Oct. 2001.
- [30] R. O. Duda, P. E. Hart, and D. G. Stork, *Pattern Classification*, 2nd ed. New York, NY, USA: Wiley, 2001.
- [31] L. Mason, J. Baxter, P. Bartlett, and M. Frean, "Functional gradient techniques for combining hypotheses," *Advances in Large Margin Clas*sifiers, pp. 221–247, 2000.
- [32] T. L. H. Chen and C. Fuh, "Probabilistic tracking with adaptive feature selection," in *Proc. IEEE 17th ICPR*, vol. 2. Aug. 2004, pp. 736–739.
- [33] D. Liang, Q. Huang, W. Gao, and H. Yao, "Online selection of discriminative features using bayes error rate for visual tracking," in *Advances in Multimedia Information Processing*. New York, NY, USA: Springer-Verlag, Nov. 2006, pp. 547–555.
- [34] A. Dore, M. Asadi, and C. Regazzoni, "Online discriminative feature selection in a bayesian framework using shape and appearance," in *Proc.* 8th Int. Workshop VS, 2008.
- [35] V. Venkataraman, G. Fan, and X. Fan, "Target tracking with online feature selection in FLIR imagery," in *Proc. IEEE Conf. CVPR*, Jun. 2007, pp. 1–8.
- [36] Y. Wang, L. Chen, and W. Gao, "Online selecting discriminative tracking features using particle filter," in *Proc. IEEE Conf. CVPR*, vol. 2. Jun. 2005, pp. 1037–1042.
- [37] X. Liu and T. Yu, "Gradient feature selection for online boosting," in Proc. IEEE 11th ICCV, Oct. 2007, pp. 1–8.
- [38] M. Everingham, L. Gool, C. Williams, J. Winn, and A. Zisserman, "The pascal visual object class (voc)challenge," *Int. J. Comput. Vis.*, vol. 88, no. 2, pp. 303–338, Jun. 2010.



Kaihua Zhang received the B.S. degree in technology and science of electronic information from the Ocean University of China, Shandong, China, in 2006, and the master's degree in signal and information processing from the University of Science and Technology of China, Hefei, China, in 2009. Currently, he is pursuing the Ph.D. degree with the Department of Computing, The Hong Kong Polytechnic University, Hong Kong. His current research interests include segment by level set method and visual tracking by detection.



Lei Zhang (M'04) received the B.S. degree from the Shenyang Institute of Aeronautical Engineering, Shenyang, China, in 1995, the M.S. and Ph.D. degrees in automatic control theory and engineering from Northwestern Polytechnical University, Xi'an, China, in 1998 and 2001, respectively. From 2001 to 2002, he was a Research Associate with the Department of Computing, The Hong Kong Polytechnic University, Hong Kong. From 2003 to 2006, he was a Post-Doctoral Fellow with the Department of Electrical and Computer Engineering, McMaster

University, Hamilton, ON, Canada. In 2006, he joined the Department of Computing, The Hong Kong Polytechnic University, as an Assistant Professor. Since 2010, he has been an Associate Professor with the same department. His current research interests include image and video processing, biometrics, computer vision, pattern recognition, multisensor data fusion, and optimal estimation theory. He is an Associate Editor of the IEEE TRANSACTIONS ON SMC-C, the IEEE TRANSACTIONS ON CSVT and *Image and Vision Computing Journal*. He was awarded the Faculty Merit Award in Research and Scholarly Activities in 2010 and 2012 and the Best Paper Award of SPIE VCIP in 2010.



Ming-Hsuan Yang is an Assistant Professor of electrical engineering and computer science with the University of California, Merced, CA, USA. He received the Ph.D. degree in computer science from the University of Illinois at Urbana-Champaign, Urbana, IL, USA, in 2000. Prior to joining UC Merced in 2008, he was a Senior Research Scientist with the Honda Research Institute, Mountain View, CA, USA, on vision problems related to humanoid robots. He has co-authored the book *Face Detection and Gesture Recognition for Human-Computer* 

Interaction (Kluwer Academic, 2001) and edited a special issue on face recognition for Computer Vision and Image Understanding in 2003, and a special issue on real world face recognition for IEEE TRANSACTIONS ON PATTERN ANALYSIS AND MACHINE INTELLIGENCE. He served as an Associate Editor of the IEEE TRANSACTIONS ON PATTERN ANALYSIS AND MACHINE INTELLIGENCE from 2007 to 2011, and is an Associate Editor of the *Image and Vision Computing*. He received the NSF CAREER Award in 2012, the Senate Award for Distinguished Early Career Research at UC Merced in 2011, and the Google Faculty Award in 2009. He is a senior member of the ACM.